

P/N: 4215425

Copyright

© 2020, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

Document identity

Publ. No.: 4215425

Commit: 56201

Language:

Modified: 2019-03-12

Formatted: 2020-02-17

Website

<http://www.flir.com>

Customer support

<http://support.flir.com>

Disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply. Products described herein may be subject to US Export Regulations. Please refer to exportquestions@flir.com with any questions.



Specifications	
Spectral band	3 - 5 microns
Focal length	25 mm
f /number	2.5
Average transmission	> 88%
Focus type	Manual
Distortion	< 3%
Focus range	200 mm to Infinity
Operating temperature	-20 to +50°C
Storage temperature	-20 to +60°C
Length (outside of camera)	51.70 mm (2.04 in.)
Diameter	68.2 mm (2.69 in.)
Weight	0.40 kg (0.89 lbs.)
Deg. Horizontal field of view (A66/67XXsc/SC67XX)	21.7
Deg. Vertical field of view (A66/67XXsc/SC67XX)	17.5
Deg. Diagonal field of view (A66/67XXsc/SC67XX)	27.6
Deg. Horizontal field of view (X68XXsc/X69XXsc)	35.5
Deg. Vertical field of view (X68XXsc/X69XXsc)	28.7
Deg. Diagonal field of view (X68XXsc/X69XXsc)	44.6
Deg. Horizontal field of view (X85XXsc)	34.2
Deg. Vertical field of view (X85XXsc)	27.6
Deg. Diagonal field of view (X85XXsc)	43.0
Interface	4-Tab HDC Bayonet

Compatible with the following products:

- 29440-201; FLIR A6701 (f/2.5, 3-5µm, 60Hz)
- 29440-203; FLIR A6703 (f/4, 3-5µm, 60Hz)
- 29440-251; FLIR A6751 (f/2.5, 3-5µm, 125Hz)
- 29440-253; FLIR A6753 (f/4, 3-5µm, 125Hz)
- 29443-200; FLIR A8580
- 29443-201; FLIR A8581
- 29443-202; FLIR A8582



Lens 3-5 um 25 mm f/2.5 HDC Bayonet

P/N: 4215425


© 2020, FLIR Systems, Inc.

#4215425; r. 56201;

- 29420-201; FLIR X6801sc
- 29420-203; FLIR X6803sc
- 29267-201; FLIR X6901sc
- 29267-203; FLIR X6903sc
- 29422-201; FLIR X8501sc
- 29422-203; FLIR X8503sc

25mm MWIR

P/N: 4215425



WEIGHT - [402.2 g]
14.2 oz

